

AEROSPACE MRO

Solutions for Maintenance Repair &
Overhaul in Aerospace

Callington




CH511C

Super Concentrated Aircraft Exterior Cleaner

- Powerful alkaline-based cleaning solution, providing greater dilution ratio
- Versatile for diverse cleaning needs - safe and effective for various surfaces
- Ideal for aircraft maintenance for cleaning critical aircraft parts such as landing gears, wheel wells, and wing flaps
- Can be used in wet & dry wash applications

Certification	Item Code	Packaging
D6-17487	2525/51	20L
D6-7127	2525/64	200L
AMS 1526		
AMS 1550		
AMS 1530		



CH8100G

General Purpose Aircraft Approved Exterior Cleaner

- Eco-conscious formulation, using readily biodegradable & low VOC raw materials
- Streak-free cleaning
- Suitable for light to moderate cleaning requirements

Certification	Item Code	Packaging
AMS 1526	2535/32	5L
AMS 1530	2534/51	20L
Boeing D6-17487 (Rev T)		



CH8150HG AEROCARE GEL

Aircraft Eco-Friendly, High Gloss Cleaning Gel

- Viscous (thixotropic) formula enhances adhesion, boosts cleaning power and reduces manual effort
- Rapidly eliminates dirt, grease, carbon and exhaust residues within minutes of application
- Readily biodegradable, low VOC, meets EU Ecolabel, CleanGredients and Safer Choice standards
- High gloss finish and easy rinsing

Certification	Item Code	Packaging
Boeing D6-17487 (Rev T)	2522/51	20L
AMS 1526C	2522/64	200L
AMS 1530C		



CH8100

Eco-friendly Aircraft Concentrated Exterior Cleaner for Wet and Dry Wash

- Eco-friendly, low VOC, water based exterior cleaner
- Removes heavy oil and smoke trial deposits
- Easy application by spraying, brushing or wiping

Certification	Item Code	Packaging
AMS 1526C	2530/51	20L
AMS 1530C	2530/64	200L
Boeing D6-17487 (Rev T)		



Available
Outside
USA

CH3003
Environmentally Friendly Aircraft Paint Stripper (Acid Activated)

- Non-flammable acid activated paint stripper**
- Designed for where phenolic types are not recommended
 - Free of chlorinated compounds such as Methylene Chloride

Certification	Item Code	Packaging
MIL-R-81903	6300/51 6300/64	20L 200L



Available
Globally

CH9004
Environmentally Friendly, Hydrogen Peroxide Aircraft Paint Stripper

- Made with biodegradable, low odour, low VOC non-aromatic solvents.
- Does not contain methylene chloride, NMP, phenols, amines, nitrites, acids or chromates.
- Thixotropic - clings to vertical, inclined, and overhead surfaces

Certification	Item Code	Packaging
Boeing D6-17487	6200/51 6200/64	20L 200L



Available
Outside
USA

CH207
Aircraft Paint Stripper (Phenolic + Acid Activated)

- Non-flammable acid activated paint stripper**
- Removes epoxy and PU coatings, including primer and base coats
 - Viscous material which clings to vertical and inverted surfaces
 - Suitable for both brush and spray applications

Certification	Item Code	Packaging
SMI MIL-R-81903A	6650/51 6650/64	20L 200L



Available
Outside
USA

CH8930
Aircraft Paint Stripper (Phenolic)

- Non-flammable phenolic paint stripper**
- Removes epoxy and PU coatings, including primer and base coats
 - Non-corrosive to aluminium, cadmium and high strength steel
 - Slow evaporation rate which allows for extended working life
 - CH8930 Thin version for cold dip tank available

Certification	Item Code	Packaging
D6-17487 AMS 1375 Douglas CSD*1	CH8930 - 6600/51 CH8930 - 6600/64	20L 200L
USAF MIL-R-81294B GPC-R-49	CH8930 Thin - 6601/51 CH8930 Thin - 6601/64	20L 200L

✓ CIC REMOVER & SAFETY SOLVENTS.....

CITRA-SAFE®

Biodegradable Non-Hazardous Cleaning Solvent



Available
Outside
USA

Biodegradable non-toxic & non-hazardous solvent

- Used for removal of CIC
- Produced from all natural, non-petroleum distillates
- Replacement for mineral spirits, thinners and chlorinated solvents to remove tough greases, oil, tar and other contaminants from metals, painted surfaces, ceramic, fiberglass & many plastics
- Also effective on some glues & resins
- Citra-Safe® is a registered trademark of Inland Technology Inc

Certification	Item Code	Packaging
Boeing/McDonnell/Airbus/Bombardier/ US Dept of Defence/US Army NATO Stock Number: 6850-01-378-0575 (20L)	5100/51	20L

ACTASOL

Biodegradable Non-Hazardous Aircraft Cleaning Solvent



Available
Globally

Safe & responsible formulation solvent

- Used for removal of CIC
- Biodegradable solvent produced from all natural distillates
- Replacement for mineral spirits, thinners & other solvents
- Will clean oily and soiled surfaces including wing leading, trailing edges, hydraulic pipes, landing gear and wheel wells
- Use to clean surfaces prior to painting and sealing

Certification	Item Code	Packaging
D6-17487	5350/42 5350/51 5350/64	5L 20L 200L

✓ WATER & LAVATORY.....

SANIPURE

Chlorinated Powder for Disinfection of Drinking Water



Available
Outside
USA

Designed for treatment of tankers and water tanks

- Water chlorination product. Readily soluble powder
- Used for treating tanker supplying water to the aircraft and water in the aircraft water system
- Sanipure 6000: Active substance - Chloramine T

Certification	Item Code	Packaging
Chloramine T recommended by World Health Organisation	AR0005160 AR0006583	20 x 8.5g / box, 8 boxes / ctn 24 x 100g / ctn

SANIPURE WSR

Potable Water Tank Descaler & Purifier



Available
Outside
USA

- Eco-friendly solution for cleaning water tanks and pipework
- Effective for removing scale and organic build-up
- Biodegradable and non-corrosive formula

Certification	Item Code	Packaging
AIMS09-00-002 AMS 1550B BSS 7432 EN 1276	5125/42 5125/51 5125/64	4 x 5L / ctn 20L 200L



Available Globally

BIOCLEAN360 & BIOCLEAN360SC

Liquid Deodorant for Aircraft Lavatories

Highly concentrated disinfectant solution for cleaning and deodorising of aircraft lavatories

- Detergent, disinfectant, bactericide, deodorant and cleaner
- For both re-circulating and vacuum toilet systems
- Blue coloured, biodegradable liquid
- Dilution Rates: Bioclean³⁶⁰ 1:100 & Bioclean^{360SC} 1:640
- Powdered version coming soon

Certification	Item Code Bioclean ³⁶⁰	Packaging	Item Code Bioclean ^{360SC}	Packaging
AMS 1476	AR0000271	4 x 5L / ctn	2319/30	12 x 1L / ctn
NATO Stock Number: 6840-66-1669173 (150g)	AR0004550	20L	2319/42	4 x 5L / ctn
	AR0000272	210L	2319/51	20L
	AR0004444	1000L	2319/64	200L
			2319/1000	1000L

BLUE LAGOON WATER

Cleaning Chemical for Aircraft Toilet Sanitation

Disposable sachet used directly into the retention tank

- Suitable for re-circulating or vacuum toilet systems
- Eliminates unpleasant odours during a 24 hour flight
- Non-staining and no harmful effects on materials

Certification	Item Code	Packaging
AMS1476 Airbus CML	AR0000242	500 x 20g sachet / ctn
D6-17487	9201/008	75 x 8g sachet / ctn
AMS1476	9201/040	20 x 40g sachet / ctn



Available Outside USA

GALLEY FLO

Aircraft Galley Drain Cleaner

- Cutting edge, non-corrosive formulation
- Versatile soil breakdown to swiftly disintegrate clogs
- Engineered for optimal and long-term galley drain performance with comprehensive soil dispersal
- Odour control

Certification	Item Code	Packaging
AIMS09-00-002	5130/200	200ml
BSS 7434	5130/500	500ml
	5130/42	5L



Available Globally

UNBLOCK & UNBLOCK-S

Aircraft Lavatory Pipe Cleaner

Removes scale and waste from toilet lines in aircrafts

- Acetic acid or Sulphamic acid based formulas
- Used for unblocking of all types of sanitary systems
- Quick and easy - pour directly into affected areas
- Unblock: Active - Acetic Acid
- Unblock-S: Active - Sulphamic Acid.
- Crushed ice not required for Unblock-S

Certification	Item Code	Packaging
AMS 1640C	AR0000042 Unblock	10 x 2L / ctn
AMS 1640C	5120/33 Unblock-S	10 x 2L / ctn
BSS 7432	5120/42	4 x 5L / ctn
	5120/51	20L
	5120/64	200L



Available Globally



AIRCRAFT ODOUR ELIMINATOR

Odour Neutraliser

- For use in aircraft's cabins, galleys, toilets and cargo holds
- Ready to use, no mixing required
- Provides long lasting protection
- Water based technology, aircraft approved
- Suitable to control odours produced in transportation of food and livestock in cargo holds

Certification	Item Code	Packaging
AMS 1550	AR0006500	50 x 100ml spray / ctn
BSS 7434	AR0000140	4 x 5L / ctn

METAL WORKING FLUIDS.....



SYN 38

General Purpose Synthetic Metalworking Coolant

- Rejection of tramp oil for easy removal
- Low foaming in all water conditions
- Excellent stability and resistance to microbial growth
- Mineral oil, chlorine, phenol, and nitrite-free
- Excellent corrosion protection even in hard water conditions

Item Code	Packaging
7128/51	20L
7128/51/IND	20L
7128/64/IND	200L



SYN 90

High Performance Synthetic Metalworking Coolant

- Environmentally friendly
- Unique lubricity and surfactant technologies provides superior lubrication compared to conventional mineral oil based
- Neat cutting oils and soluble oils, without use of chlorinated or sulphurised additives
- Excellent stability and resistance to microbial growth, providing extremely long fluid life
- Low foaming in all water conditions, eliminating the use of antifoams

Item Code	Packaging
7141/51	20L
7141/64	200L



SYN 85 MM

Premium Synthetic for Multi Metal Machining

- Low foaming in all water conditions
- Excellent stability and resistance to microbial growth
- Unique technology provides exceptional machining performance and extends tool life
- Excellent corrosion protection even in hard water conditions
- Low pH means safe to machine operators, mild to the skin

Item Code	Packaging
7137/51	20L
7137/64	200L

DUBL-CHEK HM-406

Water Washable Fluorescent Penetrant



- Low to near zero background for assured indication visibility
- Sharp, precise flaw indication for rapid interpretation
- Excellent electrostatic spray capability
- Long material tank life due to formula stability and non-volatility
- Low material consumption (low drag out) due to low viscosity
- Clean, odourless product, vapor free atmosphere

Item Code	Packaging
1497/42	1 gallon (3.8L)
1497/51	5 gallon (18.9L)
1497/64	55 gallon (208L)

DUBL-CHEK HM-604

Water Washable Fluorescent Penetrant



- Low to near zero background for assured indication visibility
- Sharp, precise flaw indication for rapid interpretation
- Excellent electrostatic spray capability
- Long material tank life due to formula stability and non-volatility
- Low material consumption (low drag out) due to low viscosity
- Surfactant base bio-degradable penetrant

Item Code	Packaging
1496/400	Aerosol
1496/42	1 gallon (3.8L)
1496/51	5 gallon (18.9L)
1496/64	55 gallon (208L)

DUBL-CHEK RC-77

Post Emulsifiable Fluorescent Penetrant



- Low to near zero background for assured indication visibility
- Sharp, precise flaw indication for rapid interpretation
- Excellent electrostatic spray capability
- Long material tank life due to formula stability and non-volatility
- Low material consumption (low drag out) due to low viscosity
- Clean, odourless product, vapor free atmosphere

Item Code	Packaging
1495/400	Aerosol
1495/42	1 gallon (3.8L)
1495/51	5 gallon (18.9L)
1495/64	55 gallon (208L)



CALLINGTON OPERATES GLOBALLY ACROSS SIX CONTINENTS AND OUR SPECIALTY PRODUCTS AND SERVICES ARE PROVIDED TO CUSTOMERS IN OVER 150+ COUNTRIES.



Callington Canada
+1 (321)-972-2034
canada@callington.com



Callington Thailand
+66 2440 0686
thailand@callington.com



Callington UK Ltd
+33 1 64 11 33 22
UK@callington.com



Callington Inc
+1 (321)-972-2034
americas@callington.com



Callington India
+91 44 2828 2128
india@callington.com



Callington Singapore Pte Ltd
+65 6271 0091
singapore@callington.com



Callington Malaysia
+6 013 4532989
malaysia@callington.com



Callington Philippines
+65 6271 0091
philippines@callington.com



Callington Vietnam
+65 6271 0091
vietnam@callington.com



Callington Haven Pty Ltd
+61 2 9898 2700
australia@callington.com



Callington Hong Kong
+971 (0) 4 223 0133
hongkong@callington.com



Callington Middle East
+971 (0) 4 223 0133
uae@callington.com



PSA Paris
+33 1 64 11 33 22
europe@callington.com

callington.com